



# BELGRAVIA

## Radiator

Free standing Kaszub 520 ↑ x 852 ↔ LP, colour: galvanic copper

## Valves and accessories

Wood thermostatic angled valve set, brushed copper

Pipe masking set, brushed copper




**Sterling & Gray**  
by Deco-warm S.r.l.

Via A. De Gasperi 35 - 48121  
Ravenna - Italy

[info@deco-warm.it](mailto:info@deco-warm.it)

*Mob. 340 8008803 - Tel. +39 0544201168*

P.iva 02414650396



### **Radiator**

Free standing Kaszub 720⇕ x 1098↔ LP, colour: antique brass

### **Valves and accessories**

Angled regulating valve set Classic Art, brushed bronze

Pipe cover and shroud set Artistic, brushed bronze



### **Radiator**

Free standing Kaszub 920 ↑ x 688 ↔ LP, colour: raw metal

### **Valves and accessories**

Angled regulating valve set Artistic, anthracite

Pipe cover and shroud set Artistic, anthracite



520↕



720 ⇅



920 ⇅

Standard connections:



Available sizes:

Wall mounted



460 x 80  
1 section



460 x 278  
3 sections



460 x 360  
4 sections



460 x 442  
5 sections




460 x 524  
6 sections




460 x 606  
7 sections



460 x 688  
8 sections




460 x 770  
9 sections




460 x 852  
10 sections




460 x 934  
11 sections




460 x 1016  
12 sections




460 x 1098  
13 sections




460 x 1180  
14 sections



460 x 1262  
15 sections




460 x 1344  
16 sections




460 x 1426  
17 sections




660 x 80  
1 section




660 x 278  
3 sections




660 x 360  
4 sections




660 x 442  
5 sections




660 x 524  
6 sections




660 x 606  
7 sections




660 x 688  
8 sections




660 x 770  
9 sections




660 x 852  
10 sections




660 x 934  
11 sections




660 x 1016  
12 sections




660 x 1098  
13 sections




660 x 1180  
14 sections



660 x 1262  
15 sections




660 x 1344  
16 sections




660 x 1426  
17 sections




860 x 80  
1 section




860 x 278  
3 sections




860 x 360  
4 sections




860 x 442  
5 sections




860 x 524  
6 sections




860 x 606  
7 sections




860 x 688  
8 sections




860 x 770  
9 sections




860 x 852  
10 sections




860 x 934  
11 sections




860 x 1016  
12 sections




860 x 1098  
13 sections




860 x 1180  
14 sections



860 x 1262  
15 sections



860 x 1344  
16 sections



860 x 1426  
17 sections

### Free standing



520 x 80  
1 section (1)



520 x 278  
3 sections (2+1)



520 x 360  
4 sections (2+2)




520 x 442  
5 sections (2+3)




520 x 524  
6 sections (2+4)




520 x 606  
7 sections (2+5)




520 x 688  
8 sections (2+6)




520 x 770  
9 sections (2+7)




520 x 852  
10 sections (2+8)




520 x 934  
11 sections (2+9)




520 x 1016  
12 sections (2+10)




520 x 1098  
13 sections (3+10)




520 x 1180  
14 sections (4+10)



520 x 1262  
15 sections (3+12)



520 x 1344  
16 sections (4+12)




520 x 1426  
17 sections (3+14)




720 x 80  
1 section (1)




720 x 278  
3 sections (2+1)




720 x 360  
4 sections (2+2)




720 x 442  
5 sections (2+3)




720 x 524  
6 sections (2+4)




720 x 606  
7 sections (2+5)




720 x 688  
8 sections (2+6)




720 x 770  
9 sections (2+7)




720 x 852  
10 sections (2+8)




720 x 934  
11 sections (2+9)




720 x 1016  
12 sections (2+10)




720 x 1098  
13 sections (3+10)




720 x 1180  
14 sections (4+10)



720 x 1262  
15 sections (3+12)



720 x 1344  
16 sections (4+12)



720 x 1426  
17 sections (3+14)



920 x 80  
1 section (1)




920 x 278  
3 sections (2+1)




920 x 360  
4 sections (2+2)




920 x 442  
5 sections (2+3)




920 x 524  
6 sections (2+4)




920 x 606  
7 sections (2+5)




920 x 688  
8 sections (2+6)




920 x 770  
9 sections (2+7)




920 x 852  
10 sections (2+8)




920 x 934  
11 sections (2+9)




920 x 1016  
12 sections (2+10)




920 x 1098  
13 sections (3+10)




920 x 1180  
14 sections (4+10)



920 x 1262  
15 sections (3+12)



920 x 1344  
16 sections (4+12)



920 x 1426  
17 sections (3+14)

# Specifications:

Working pressure: 1000 kPa    Maximum operating temperature: 95°C

| A <div>↓</div> <div>[mm]</div> | B <div>↔</div> <div>[mm]</div> | C <div></div> <div>[mm]</div> | 75/65/20°C <div></div> <div>[W]</div> | 55/45/20°C <div></div> <div>[W]</div> | D <div></div> <div>[mm]</div> | D1 <div></div> <div>[mm]</div> | D2 <div></div> <div>[mm]</div> | <div></div> <div>[dm³]</div> | <div></div> <div>[kg]</div> | Product code <div>(Configuration code p. 14)</div> |
|--------------------------------|--------------------------------|-------------------------------|---------------------------------------|---------------------------------------|-------------------------------|--------------------------------|--------------------------------|------------------------------|-----------------------------|----------------------------------------------------|
| Wall mounted                   |                                |                               |                                       |                                       |                               |                                |                                |                              |                             |                                                    |
| 460                            | 80                             | 360                           | 87                                    | 46                                    | —                             | —                              | —                              | 2,13                         | 8,80                        | WGKAB046008                                        |
| 460                            | 278                            | 360                           | 259                                   | 137                                   | 82                            | 98                             | —                              | 6,38                         | 27,52                       | WGKAB046027                                        |
| 460                            | 360                            | 360                           | 346                                   | 183                                   | —                             | 98                             | —                              | 8,51                         | 36,32                       | WGKAB046036                                        |
| 460                            | 442                            | 360                           | 432                                   | 228                                   | 246                           | 98                             | —                              | 10,63                        | 45,12                       | WGKAB046044                                        |
| 460                            | 524                            | 360                           | 518                                   | 274                                   | —                             | 98                             | —                              | 12,76                        | 53,92                       | WGKAB046052                                        |
| 460                            | 606                            | 360                           | 605                                   | 320                                   | 246                           | 180                            | —                              | 14,88                        | 62,72                       | WGKAB046060                                        |
| 460                            | 688                            | 360                           | 691                                   | 365                                   | 328                           | 180                            | —                              | 17,01                        | 71,52                       | WGKAB046068                                        |
| 460                            | 770                            | 360                           | 777                                   | 411                                   | 410                           | 180                            | —                              | 19,14                        | 80,32                       | WGKAB046077                                        |
| 460                            | 852                            | 360                           | 863                                   | 457                                   | 492                           | 180                            | —                              | 21,26                        | 89,12                       | WGKAB046085                                        |
| 460                            | 934                            | 360                           | 950                                   | 502                                   | 574                           | 180                            | 164                            | 23,39                        | 97,92                       | WGKAB046093                                        |
| 460                            | 1016                           | 360                           | 1036                                  | 548                                   | 656                           | 180                            | 164                            | 25,51                        | 106,72                      | WGKAB046101                                        |
| 460                            | 1098                           | 360                           | 1122                                  | 594                                   | 738                           | 180                            | 246                            | 27,64                        | 115,52                      | WGKAB046109                                        |
| 460                            | 1180                           | 360                           | 1209                                  | 640                                   | 820                           | 180                            | 246                            | 29,76                        | 124,32                      | WGKAB046118                                        |
| 460                            | 1262                           | 360                           | 1295                                  | 685                                   | 902                           | 180                            | 246                            | 31,89                        | 133,12                      | WGKAB046126                                        |
| 460                            | 1344                           | 360                           | 1381                                  | 731                                   | 984                           | 180                            | 246                            | 34,02                        | 141,92                      | WGKAB046134                                        |
| 460                            | 1426                           | 360                           | 1468                                  | 777                                   | 1066                          | 180                            | 246                            | 36,14                        | 150,72                      | WGKAB046142                                        |
| 660                            | 80                             | 560                           | 120                                   | 65                                    | —                             | —                              | —                              | 3,05                         | 10,8                        | WGKAB066008                                        |
| 660                            | 278                            | 560                           | 361                                   | 195                                   | 82                            | 98                             | —                              | 9,16                         | 33,5                        | WGKAB066027                                        |
| 660                            | 360                            | 560                           | 481                                   | 260                                   | —                             | 98                             | —                              | 12,21                        | 44,3                        | WGKAB066036                                        |
| 660                            | 442                            | 560                           | 602                                   | 325                                   | 246                           | 98                             | —                              | 15,27                        | 55,1                        | WGKAB066044                                        |
| 660                            | 524                            | 560                           | 722                                   | 391                                   | —                             | 98                             | —                              | 18,32                        | 65,9                        | WGKAB066052                                        |
| 660                            | 606                            | 560                           | 842                                   | 456                                   | 246                           | 180                            | —                              | 21,37                        | 76,7                        | WGKAB066060                                        |
| 660                            | 688                            | 560                           | 962                                   | 521                                   | —                             | 180                            | —                              | 24,42                        | 87,5                        | WGKAB066068                                        |
| 660                            | 770                            | 560                           | 1083                                  | 586                                   | 410                           | 180                            | —                              | 27,48                        | 98,3                        | WGKAB066077                                        |
| 660                            | 852                            | 560                           | 1203                                  | 651                                   | 492                           | 180                            | —                              | 30,53                        | 109,1                       | WGKAB066085                                        |
| 660                            | 934                            | 560                           | 1323                                  | 716                                   | 574                           | 180                            | 164                            | 33,58                        | 119,9                       | WGKAB066093                                        |
| 660                            | 1016                           | 560                           | 1444                                  | 781                                   | 656                           | 180                            | 164                            | 36,64                        | 130,7                       | WGKAB066101                                        |
| 660                            | 1098                           | 560                           | 1564                                  | 846                                   | 738                           | 180                            | 246                            | 39,69                        | 141,5                       | WGKAB066109                                        |
| 660                            | 1180                           | 560                           | 1684                                  | 911                                   | 820                           | 180                            | 246                            | 42,74                        | 152,3                       | WGKAB066118                                        |
| 660                            | 1262                           | 560                           | 1805                                  | 976                                   | 902                           | 180                            | 246                            | 45,8                         | 163,1                       | WGKAB066126                                        |
| 660                            | 1344                           | 560                           | 1925                                  | 1041                                  | 984                           | 180                            | 246                            | 48,85                        | 173,9                       | WGKAB066134                                        |
| 660                            | 1426                           | 560                           | 2045                                  | 1107                                  | 1066                          | 180                            | 246                            | 51,9                         | 184,7                       | WGKAB066142                                        |
| 860                            | 80                             | 760                           | 149                                   | 80                                    | -                             | —                              | —                              | 4,14                         | 14,0                        | WGKAB086008                                        |
| 860                            | 278                            | 760                           | 447                                   | 239                                   | 82                            | 98                             | —                              | 12,42                        | 43,1                        | WGKAB086027                                        |
| 860                            | 360                            | 760                           | 596                                   | 318                                   | -                             | 98                             | —                              | 16,56                        | 57,1                        | WGKAB086036                                        |
| 860                            | 442                            | 760                           | 745                                   | 398                                   | 246                           | 98                             | —                              | 20,70                        | 71,1                        | WGKAB086044                                        |
| 860                            | 524                            | 760                           | 894                                   | 477                                   | -                             | 98                             | —                              | 24,84                        | 85,1                        | WGKAB086052                                        |

| A ↓<br>[mm] | B ↔<br>[mm] | C<br>[mm] | 75/65/20°C<br>[W] | 55/45/20°C<br>[W] | D<br>[mm] | D1<br>[mm] | D2<br>[mm] | <br>[dm³] | <br>[kg] | Product code<br><small>(Configuration code p. 14)</small> |
|-------------|-------------|-----------|-------------------|-------------------|-----------|------------|------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| 860         | 606         | 760       | 1043              | 557               | 246       | 180        | —          | 28,98                                                                                        | 99,1                                                                                        | WGKAB086060                                               |
| 860         | 688         | 760       | 1192              | 636               | 328       | 180        | —          | 33,12                                                                                        | 113,1                                                                                       | WGKAB086068                                               |
| 860         | 770         | 760       | 1341              | 716               | 410       | 180        | —          | 37,26                                                                                        | 127,1                                                                                       | WGKAB086077                                               |
| 860         | 852         | 760       | 1490              | 795               | 492       | 180        | —          | 41,40                                                                                        | 141,1                                                                                       | WGKAB086085                                               |
| 860         | 934         | 760       | 1639              | 875               | 574       | 180        | 164        | 45,54                                                                                        | 155,1                                                                                       | WGKAB086093                                               |
| 860         | 1016        | 760       | 1788              | 954               | 656       | 180        | 164        | 49,68                                                                                        | 169,1                                                                                       | WGKAB086101                                               |
| 860         | 1098        | 760       | 1937              | 1034              | 738       | 180        | 246        | 53,82                                                                                        | 183,1                                                                                       | WGKAB086109                                               |
| 860         | 1180        | 760       | 2086              | 1113              | 820       | 180        | 246        | 57,96                                                                                        | 197,1                                                                                       | WGKAB086118                                               |
| 860         | 1262        | 760       | 2235              | 1193              | 902       | 180        | 246        | 62,10                                                                                        | 211,1                                                                                       | WGKAB086126                                               |
| 860         | 1344        | 760       | 2384              | 1272              | 984       | 180        | 246        | 66,24                                                                                        | 225,1                                                                                       | WGKAB086134                                               |
| 860         | 1426        | 760       | 2533              | 1352              | 1066      | 180        | 246        | 70,38                                                                                        | 239,1                                                                                       | WGKAB086142                                               |

Radiators made up of 13 sections and more are delivered in two or more batteries.

Specifications:


Working pressure: 1000 kPa    Maximum operating temperature: 95°C

| A ↓<br>[mm]   | B ↔<br>[mm] | C<br>[mm] | 75/65/20°C<br>[W] | 55/45/20°C<br>[W] | D<br>[mm] | D1<br>[mm] | D2<br>[mm] | <br>[dm³] | <br>[kg] | Product code<br><small>(Configuration code p. 14)</small> |
|---------------|-------------|-----------|-------------------|-------------------|-----------|------------|------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Free standing |             |           |                   |                   |           |            |            |                                                                                              |                                                                                             |                                                           |
| 520           | 80          | 360       | 86                | 46                | —         | —          | —          | 2,57                                                                                         | 9,30                                                                                        | WGKAF052008                                               |
| 520           | 278         | 360       | 259               | 137               | —         | —          | —          | 6,71                                                                                         | 29,02                                                                                       | WGKAF052027                                               |
| 520           | 360         | 360       | 345               | 183               | —         | —          | —          | 8,28                                                                                         | 37,92                                                                                       | WGKAF052036                                               |
| 520           | 442         | 360       | 432               | 228               | —         | —          | —          | 10,85                                                                                        | 46,82                                                                                       | WGKAF052044                                               |
| 520           | 524         | 360       | 518               | 274               | —         | —          | —          | 12,42                                                                                        | 55,72                                                                                       | WGKAF052052                                               |
| 520           | 606         | 360       | 604               | 320               | —         | —          | —          | 14,99                                                                                        | 64,62                                                                                       | WGKAF052060                                               |
| 520           | 688         | 360       | 690               | 365               | —         | —          | —          | 17,56                                                                                        | 73,52                                                                                       | WGKAF052068                                               |
| 520           | 770         | 360       | 777               | 411               | —         | —          | —          | 19,13                                                                                        | 82,42                                                                                       | WGKAF052077                                               |
| 520           | 852         | 360       | 863               | 457               | —         | —          | —          | 21,00                                                                                        | 91,32                                                                                       | WGKAF052085                                               |
| 520           | 934         | 360       | 949               | 502               | —         | —          | —          | 23,27                                                                                        | 100,22                                                                                      | WGKAF052093                                               |
| 520           | 1016        | 360       | 1036              | 548               | —         | —          | —          | 25,84                                                                                        | 109,12                                                                                      | WGKAF052101                                               |
| 520           | 1098        | 360       | 1122              | 594               | —         | —          | —          | 27,41                                                                                        | 118,62                                                                                      | WGKAF052109                                               |
| 520           | 1180        | 360       | 1208              | 640               | —         | —          | —          | 29,98                                                                                        | 128,12                                                                                      | WGKAF052118                                               |
| 520           | 1262        | 360       | 1295              | 685               | —         | —          | —          | 31,55                                                                                        | 136,42                                                                                      | WGKAF052126                                               |
| 520           | 1344        | 360       | 1381              | 731               | —         | —          | —          | 34,12                                                                                        | 145,92                                                                                      | WGKAF052134                                               |
| 520           | 1426        | 360       | 1467              | 777               | —         | —          | —          | 36,69                                                                                        | 154,22                                                                                      | WGKAF052142                                               |
| 720           | 80          | 560       | 120               | 65                | —         | —          | —          | 3,05                                                                                         | 11,3                                                                                        | WGKAF072008                                               |
| 720           | 278         | 560       | 360               | 195               | —         | —          | —          | 9,16                                                                                         | 35,1                                                                                        | WGKAF072027                                               |
| 720           | 360         | 560       | 480               | 260               | —         | —          | —          | 12,21                                                                                        | 46,1                                                                                        | WGKAF072036                                               |
| 720           | 442         | 560       | 600               | 325               | —         | —          | —          | 15,27                                                                                        | 57,1                                                                                        | WGKAF072044                                               |
| 720           | 524         | 560       | 720               | 390               | —         | —          | —          | 18,32                                                                                        | 68,1                                                                                        | WGKAF072052                                               |


| A ↕<br>[mm] | B ↔<br>[mm] | C<br>[mm] | 75/65/20°C<br>[W] | 55/45/20°C<br>[W] | D<br>[mm] | D1<br>[mm] | D2<br>[mm] | <br>[dm³] | <br>[kg] | Product code<br><small>(Configuration code p. 14)</small> |
|-------------|-------------|-----------|-------------------|-------------------|-----------|------------|------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| 720         | 606         | 560       | 840               | 454               | —         | —          | —          | 21,37                                                                                        | 79,1                                                                                        | WGKAF072060                                               |
| 720         | 688         | 560       | 960               | 519               | —         | —          | —          | 24,42                                                                                        | 90,1                                                                                        | WGKAF072068                                               |
| 720         | 770         | 560       | 1080              | 584               | —         | —          | —          | 27,48                                                                                        | 101,1                                                                                       | WGKAF072077                                               |
| 720         | 852         | 560       | 1200              | 649               | —         | —          | —          | 30,53                                                                                        | 112,1                                                                                       | WGKAF072085                                               |
| 720         | 934         | 560       | 1320              | 714               | —         | —          | —          | 33,58                                                                                        | 123,1                                                                                       | WGKAF072093                                               |
| 720         | 1016        | 560       | 1440              | 779               | —         | —          | —          | 36,64                                                                                        | 134,1                                                                                       | WGKAF072101                                               |
| 720         | 1098        | 560       | 1560              | 844               | —         | —          | —          | 39,69                                                                                        | 145,6                                                                                       | WGKAF072109                                               |
| 720         | 1180        | 560       | 1680              | 909               | —         | —          | —          | 42,74                                                                                        | 157,1                                                                                       | WGKAF072118                                               |
| 720         | 1262        | 560       | 1800              | 974               | —         | —          | —          | 45,8                                                                                         | 167,6                                                                                       | WGKAF072126                                               |
| 720         | 1344        | 560       | 1920              | 1039              | —         | —          | —          | 48,85                                                                                        | 179,1                                                                                       | WGKAF072134                                               |
| 720         | 1426        | 560       | 2040              | 1104              | —         | —          | —          | 51,9                                                                                         | 189,6                                                                                       | WGKAF072142                                               |
| 920         | 80          | 760       | 149               | 80                | —         | —          | —          | 4,14                                                                                         | 15,0                                                                                        | WGKAF092008                                               |
| 920         | 278         | 760       | 447               | 239               | —         | —          | —          | 12,42                                                                                        | 45,7                                                                                        | WGKAF092027                                               |
| 920         | 360         | 760       | 596               | 318               | —         | —          | —          | 16,56                                                                                        | 59,9                                                                                        | WGKAF092036                                               |
| 920         | 442         | 760       | 745               | 398               | —         | —          | —          | 20,70                                                                                        | 74,1                                                                                        | WGKAF092044                                               |
| 920         | 524         | 760       | 894               | 477               | —         | —          | —          | 24,84                                                                                        | 88,3                                                                                        | WGKAF092052                                               |
| 920         | 606         | 760       | 1043              | 557               | —         | —          | —          | 28,98                                                                                        | 102,5                                                                                       | WGKAF092060                                               |
| 920         | 688         | 760       | 1192              | 636               | —         | —          | —          | 33,12                                                                                        | 116,7                                                                                       | WGKAF092068                                               |
| 920         | 770         | 760       | 1341              | 716               | —         | —          | —          | 37,26                                                                                        | 130,9                                                                                       | WGKAF092077                                               |
| 920         | 852         | 760       | 1490              | 795               | —         | —          | —          | 41,40                                                                                        | 145,1                                                                                       | WGKAF092085                                               |
| 920         | 934         | 760       | 1639              | 875               | —         | —          | —          | 45,54                                                                                        | 159,3                                                                                       | WGKAF092093                                               |
| 920         | 1016        | 760       | 1788              | 954               | —         | —          | —          | 49,68                                                                                        | 173,5                                                                                       | WGKAF092101                                               |
| 920         | 1098        | 760       | 1937              | 1034              | —         | —          | —          | 53,82                                                                                        | 188,7                                                                                       | WGKAF092109                                               |
| 920         | 1180        | 760       | 2086              | 1113              | —         | —          | —          | 57,96                                                                                        | 203,9                                                                                       | WGKAF092118                                               |
| 920         | 1262        | 760       | 2235              | 1193              | —         | —          | —          | 62,10                                                                                        | 217,1                                                                                       | WGKAF092126                                               |
| 920         | 1344        | 760       | 2384              | 1272              | —         | —          | —          | 66,24                                                                                        | 232,3                                                                                       | WGKAF092134                                               |
| 920         | 1426        | 760       | 2533              | 1352              | —         | —          | —          | 70,38                                                                                        | 245,5                                                                                       | WGKAF092142                                               |

Radiators made up of 13 sections and more are delivered in two or more batteries.

Wall mounted



Free standing



A – Height B – Width C – Distance between pipe centres D – Spacing of fixing hooks